

# Levelit<sup>®</sup>

TILING TO PERFECTION



## CATALOG

GAIN PRECISION, SPEED, AND COMFORT

Levelit<sup>®</sup>



# CONTENT

ASSORTMENT Levelit

## 00. Table of contents 03

## 01. Tile leveling systems 04

|              |    |
|--------------|----|
| Levelit      | 06 |
| XL           | 14 |
| Helix        | 20 |
| Tiling Buddy | 26 |

## 02. Classic tile spacers 30

|                              |    |
|------------------------------|----|
| Classic X-tile spacers       | 31 |
| Classic T-tile spacers       | 33 |
| Reusable tile spacers        | 34 |
| Multifunctional tile spacers | 35 |

## 03. Tools 36

|                          |    |
|--------------------------|----|
| Suction cups             | 37 |
| Spiked rollers           | 41 |
| Telescopic poles         | 42 |
| Grout bags               | 42 |
| Sponges                  | 43 |
| Grout floats             | 44 |
| Rubber mallets           | 45 |
| Squeegees                | 46 |
| Notched adhesive trowels | 46 |
| Wash kits                | 47 |
| Mixers                   | 49 |
| Mixing paddles           | 50 |

# Levelit

TILING TO PERFECTION



## LEVELING SYSTEMS



## OUR LEVELING SYSTEMS

### Levelit

#### Levelit

The Levelit system is suitable for both walls and floors. It is ideal for large surfaces and large-format tiles.

**FLOOR & WALL**

**Joint width 1 - 4 mm**

### XL

#### XL

The XL system was specifically developed for thicker and heavier tiles, such as those commonly used on outdoor terraces.

**FLOOR**

**Joint width 2 - 4 mm**

### HELIX

#### Helix

Helix can be used on both walls and floors. Thanks to its ergonomic screw system, it is particularly well suited for wall applications.

**FLOOR & WALL**

**Joint width 1,5 - 4 mm**

### TILING buddy

#### Tiling buddy

Tiling Buddy was specifically developed for DIY users. Since the leveling clips are smaller, it also allows you to easily lay small-format tiles.

**FLOOR & WALL**

**Joint width 1,5 - 3 mm**

# Levelit

TILING TO PERFECTION

BELGIAN  QUALITY





BEFORE



AFTER

1. After applying the adhesive and placing the first tile:
  - Slide the clips under the tile
  - Depending on the tile size, place one or more spacers on each side
2. Position and adjust the next tile against the spacer clips by pressing it lightly
3. Using your fingers, push the wedge to tighten and level the tile
4. Use the special leveling plier to facilitate insertion
5. Once the adhesive has fully cured, the upper parts of the spacers and the wedges must be removed. Break off the spacers using a rubber mallet or by kicking them in the direction of the joint. Then collect and reuse the wedges.


## INSTALLATION METHOD | 5 STEPS



1



2



3



4



5

### JOINT WIDTH (mm)



### TILE THICKNESS

6 until 12 mm  
3 until 6 mm with wedge separator



QR-CODE - VIDEO

**WALL & FLOOR**

**JOINT WIDTH 1 - 4 MM**





## SPACER CLIPS 100 PCS



|                                       | REF       |  |  |
|---------------------------------------|-----------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Levelit 1 mm spacer clips – 100 pcs   | TT100-1   | 20 pcs                                                                                | 24 boxes                                                                              |
| Levelit 1,5 mm spacer clips – 100 pcs | TT100-1.5 | 20 pcs                                                                                | 24 boxes                                                                              |
| Levelit 2 mm spacer clips – 100 pcs   | TT100-2   | 20 pcs                                                                                | 24 boxes                                                                              |
| Levelit 3 mm spacer clips – 100 pcs   | TT100-3   | 20 pcs                                                                                | 24 boxes                                                                              |
| Levelit 4 mm spacer clips – 100 pcs   | TT100-4   | 20 pcs                                                                                | 24 boxes                                                                              |

## SPACER CLIPS 250 PCS



|                                       | REF       |  |  |
|---------------------------------------|-----------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Levelit 1 mm spacer clips – 250 pcs   | TT250-1   | 8 pcs                                                                                 | 24 boxes                                                                              |
| Levelit 1,5 mm spacer clips – 250 pcs | TT250-1.5 | 8 pcs                                                                                 | 24 boxes                                                                              |
| Levelit 2 mm spacer clips – 250 pcs   | TT250-2   | 8 pcs                                                                                 | 24 boxes                                                                              |
| Levelit 3 mm spacer clips – 250 pcs   | TT250-3   | 8 pcs                                                                                 | 24 boxes                                                                              |
| Levelit 4 mm spacer clips – 250 pcs   | TT250-4   | 8 pcs                                                                                 | 24 boxes                                                                              |

# TILE LEVELING SYSTEMS




## SPACER CLIPS 500 PCS




|                                       | REF       |  |  |
|---------------------------------------|-----------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Levelit 1 mm spacer clips – 500 pcs   | TT500-1   | 4 pcs                                                                                 | 24 boxes                                                                              |
| Levelit 1,5 mm spacer clips – 500 pcs | TT500-1.5 | 4 pcs                                                                                 | 24 boxes                                                                              |
| Levelit 2 mm spacer clips – 500 pcs   | TT500-2   | 4 pcs                                                                                 | 24 boxes                                                                              |
| Levelit 3 mm spacer clips – 500 pcs   | TT500-3   | 4 pcs                                                                                 | 24 boxes                                                                              |
| Levelit 4 mm spacer clips – 500 pcs   | TT500-4   | 4 pcs                                                                                 | 24 boxes                                                                              |

## SPACER CLIPS 2000 PCS



|                                        | REF        |  |  |
|----------------------------------------|------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Levelit 1 mm spacer clips – 2000 pcs   | TT2000-1   | 1 pcs                                                                                 | 24 boxes                                                                              |
| Levelit 1,5 mm spacer clips – 2000 pcs | TT2000-1.5 | 1 pcs                                                                                 | 24 boxes                                                                              |
| Levelit 2 mm spacer clips – 2000 pcs   | TT2000-2   | 1 pcs                                                                                 | 24 boxes                                                                              |
| Levelit 3 mm spacer clips – 2000 pcs   | TT2000-3   | 1 pcs                                                                                 | 24 boxes                                                                              |

# TILE LEVELING SYSTEMS



## TILE LEVELING KIT 100 PCS



|                                            | REF         | KG      | 100 PCS |
|--------------------------------------------|-------------|---------|---------|
| Levelit tile leveling kit 1 mm – 100 pcs   | SET100-P1   | 1,80 kg | 75 kits |
| Levelit tile leveling kit 1,5 mm – 100 pcs | SET100-P1.5 | 1,74 kg | 75 kits |
| Levelit tile leveling kit 2 mm – 100 pcs   | SET100-P2   | 1,76 kg | 75 kits |
| Levelit tile leveling kit 3 mm – 100 pcs   | SET100-P3   | 1,84 kg | 75 kits |
| Levelit tile leveling kit 4 mm – 100 pcs   | SET100-P4   | 1,93 kg | 75 kits |

## TILE LEVELING KIT 250 PCS




|                                            | REF         | KG      | 250 PCS |
|--------------------------------------------|-------------|---------|---------|
| Levelit tile leveling kit 1 mm – 250 pcs   | SET250-P1   | 3,66 kg | 48 kits |
| Levelit tile leveling kit 1,5 mm – 250 pcs | SET250-P1.5 | 3,64 kg | 48 kits |
| Levelit tile leveling kit 2 mm – 250 pcs   | SET250-P2   | 3,65 kg | 48 kits |
| Levelit tile leveling kit 3 mm – 250 pcs   | SET250-P3   | 3,87 kg | 48 kits |



# TILE LEVELING SYSTEMS



## WEDGES 100 PCS



Levelit wedges- 100 pcs

REF

TK100




10 pcs



24 boxes

## WEDGES 250 PCS



Levelit wedges- 250 pcs

REF

TK250




4 pcs



24 boxes

## WEDGES 500 PCS



Levelit wedges - 500 pcs

REF

TK500



4,95 kg



48 sets

# TILE LEVELING SYSTEMS



## ADJUSTABLE METAL PLIER



|                                | REF  |  |  |
|--------------------------------|------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Levelit adjustable metal plier | FP-1 | 50 pcs                                                                                | 24 boxes                                                                              |

## ADJUSTABLE PLASTIC PLIER



|                                  | REF  |  |  |
|----------------------------------|------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Levelit adjustable plastic plier | FP-2 | 50 pcs                                                                                | 24 boxes                                                                              |

# TILE LEVELING SYSTEMS



## ANTI SCRATCH 100 PCS



|                                | REF   |  |  |
|--------------------------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Levelit anti scratch – 100 pcs | AS100 | 15 pcs                                                                                | 75 boxes                                                                              |


## WEDGE SEPERATOR 100 PCS



|                                   | REF      |  |  |
|-----------------------------------|----------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Levelit wedge seperator – 100 pcs | WP100-04 | 8 pcs                                                                                 | 24 boxes                                                                              |



XL



BELGIAN  QUALITY





1. After applying the adhesive and placing the first tile:
  - Slide the clips under the tile
  - Depending on the tile size, place one or more spacers on each side
2. Position and adjust the next tile against the spacer clips by pressing it lightly
3. Using your fingers, push the wedge to tighten and level the tile
4. Use the special leveling plier to facilitate insertion
5. Once the adhesive has fully cured, the upper parts of the spacers and the wedges must be removed. Break off the spacers using a rubber mallet or by kicking them in the direction of the joint. Then collect and reuse the wedges.

## INSTALLATION METHOD | 5 STEPS



### JOINTS (mm)



### TILE THICKNESS

15 - 25 mm (12 - 15 mm with wedge separator)

22 - 30 mm (19 - 22 mm with wedge separator)

## FLOOR

**JOINT WIDTH 2 - 4 MM**



# TILE LEVELING SYSTEMS



## SPACER CLIPS 100 PCS



|                                        | REF        |  |  |
|----------------------------------------|------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>XL 2 mm spacer clips – 100 pcs</b>  | TT100 – 2L | 18 pcs                                                                                | 24 boxes                                                                              |
| <b>XXL 3 mm spacer clips – 100 pcs</b> | TT100 – 3L | 18 pcs                                                                                | 24 boxes                                                                              |
| <b>XL 4 mm spacer clips – 100 pcs</b>  | TT100 – 4L | 15 pcs                                                                                | 24 boxes                                                                              |

## SPACER CLIPS 250 PCS



|                                        | REF        |  |  |
|----------------------------------------|------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>XL 2 mm spacer clips – 250 pcs</b>  | TT250 – 2L | 8 pcs                                                                                 | 24 boxes                                                                              |
| <b>XXL 3 mm spacer clips – 250 pcs</b> | TT250 – 3L | 6 pcs                                                                                 | 24 boxes                                                                              |
| <b>XL 4 mm spacer clips – 250 pcs</b>  | TT250 – 4L | 6 pcs                                                                                 | 24 boxes                                                                              |

## SPACER CLIPS 500 PCS



|                                        | REF        |  |  |
|----------------------------------------|------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>XL 2 mm spacer clips – 500 pcs</b>  | TT500 – 2L | 4 pcs                                                                                 | 24 boxes                                                                              |
| <b>XXL 3 mm spacer clips – 500 pcs</b> | TT500 – 3L | 3 pcs                                                                                 | 24 boxes                                                                              |
| <b>XL 4 mm spacer clips – 500 pcs</b>  | TT500 – 4L | 3 pcs                                                                                 | 24 boxes                                                                              |





## SPACER CLIPS 1500 PCS



|                                  | REF         |  |  |
|----------------------------------|-------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| XL 2 mm spacer clips – 1500 pcs  | TT1500 – 2L | 1 pcs                                                                                 | 24 boxes                                                                              |
| XXL 3 mm spacer clips – 1500 pcs | TT1500 – 3L | 1 pcs                                                                                 | 24 boxes                                                                              |
| XL 4 mm spacer clips – 1500 pcs  | TT1500 – 4L | 1 pcs                                                                                 | 24 boxes                                                                              |

## TILE LEVELING KIT 250 PCS



|                                      | REF          |  |  |
|--------------------------------------|--------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| XL tile leveling kit 2 mm – 250 pcs  | SET250 – M2L | 3,99 kg                                                                               | 48 kits                                                                               |
| XXL tile leveling kit 3 mm – 250 pcs | SET250 – M3L | 4,05 kg                                                                               | 48 kits                                                                               |
| XL tile leveling kit 4 mm – 250 pcs  | SET250 – M4L | 4,21 kg                                                                               | 48 kits                                                                               |

## ADJUSTABLE METAL PLIER




|                                | REF  |  |  |
|--------------------------------|------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Levelit adjustable metal plier | FP-1 | 50 pcs                                                                                | 24 boxes                                                                              |

# TILE LEVELING SYSTEMS



## WEDGES 100 PCS



Levelit wedges- 100 pcs

REF

TK100




10 pcs



24 boxes

## WEDGES 250 PCS



Levelit wedges- 250 pcs

REF

TK250




4 pcs



24 boxes

## WEDGES 500 PCS



Levelit wedges - 500 pcs

REF

TK500



4,95 kg



48 sets





ANTI SCRATCH 100 PCS



|                                | REF   |  |  |
|--------------------------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Levelit anti scratch – 100 pcs | AS100 | 15 pcs                                                                                | 75 boxes                                                                              |

WEDGE SEPERATOR 100 PCS



|                                   | REF      |  |  |
|-----------------------------------|----------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Levelit wedge seperator – 100 pcs | WP100-04 | 8 pcs                                                                                 | 24 boxes                                                                              |



# HELIX

TILING TO PERFECTION




BELGIAN  QUALITY




1. After applying the adhesive and placing the first tile:
  - Slide the clips under the tile
  - Depending on the tile size, place one or more spacers on each side
2. Position and adjust the next tile against the spacer clips by pressing it lightly
3. Turn the cap onto the clip to press and level the tile.
4. Once the adhesive has fully cured, the upper parts of the spacer clips and the caps must be removed. Break off the spacers clips using a rubber mallet or by kicking them in the direction of the joint. Then, unscrew the caps from the clips and recover the caps.

## INSTALLATION METHOD | 5 STEPS



5.

### JOINTS (mm)



### TILE THICKNESS

3 until 20 mm

15 until 25 mm




QR-CODE - VIDEO

**WALL & FLOOR**

**JOINTS WIDTH 1.5 – 4 MM**





## SPACER CLIPS 100 PCS



|                                     | REF       |  |  |
|-------------------------------------|-----------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Helix 1.5 mm spacer clips – 100 pcs | SC100-1.5 | 20 pcs                                                                                | 24 boxes                                                                              |
| Helix 2 mm spacer clips – 100 pcs   | SC100-2   | 20 pcs                                                                                | 24 boxes                                                                              |
| Helix 3 mm spacer clips – 100 pcs   | SC100-3   | 20 pcs                                                                                | 24 boxes                                                                              |
| Helix 4 mm spacer clips – 100 pcs   | SC100-4   | 20 pcs                                                                                | 24 boxes                                                                              |

## SPACER CLIPS 250 PCS



|                                     | REF       |  |  |
|-------------------------------------|-----------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Helix 1.5 mm spacer clips – 250 pcs | SC250-1.5 | 10 pcs                                                                                | 24 boxes                                                                              |
| Helix 2 mm spacer clips – 250 pcs   | SC250-2   | 10 pcs                                                                                | 24 boxes                                                                              |
| Helix 3 mm spacer clips – 250 pcs   | SC250-3   | 10 pcs                                                                                | 24 boxes                                                                              |
| Helix 4 mm spacer clips – 250 pcs   | SC250-4   | 10 pcs                                                                                | 24 boxes                                                                              |



SPACER CLIPS 500 PCS




|                                     | REF       |  |  |
|-------------------------------------|-----------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Helix 1.5 mm spacer clips – 500 pcs | SC500-1.5 | 4 pcs                                                                                 | 24 boxes                                                                              |
| Helix 2 mm spacer clips – 500 pcs   | SC500-2   | 4 pcs                                                                                 | 24 boxes                                                                              |
| Helix 3 mm spacer clips – 500 pcs   | SC500-3   | 4 pcs                                                                                 | 24 boxes                                                                              |
| Helix 4 mm spacer clips – 500 pcs   | SC500-4   | 4 pcs                                                                                 | 24 boxes                                                                              |

XL SPACER CLIPS 250 PCS



|                                      | REF      |  |  |
|--------------------------------------|----------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Helix XL 5 mm spacer clips – 250 pcs | SC250-2L | 8 pcs                                                                                 | 24 boxes                                                                              |





## TILE LEVELING KIT 75 PCS



|                                         | REF        |  KG |  |
|-----------------------------------------|------------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Helix tile leveling kit 1.5 mm – 75 pcs | SET75S-1.5 | 1,32 kg                                                                                  | 75 kits                                                                               |
| Helix tile leveling kit 2 mm – 75 pcs   | SET75S-2   | 1,33 kg                                                                                  | 75 kits                                                                               |
| Helix tile leveling kit 3 mm – 75 pcs   | SET75S-3   | 1,35 kg                                                                                  | 75 kits                                                                               |
| Helix tile leveling kit 4 mm – 75 pcs   | SET75S-4   | 1,40 kg                                                                                  | 75 kits                                                                               |

## TILE LEVELING KIT 200 PCS



|                                          | REF         |         |  |
|------------------------------------------|-------------|---------|---------------------------------------------------------------------------------------|
| Helix tile leveling kit 1.5 mm – 200 pcs | SET200S-1.5 | 3,19 kg | 48 kits                                                                               |
| Helix tile leveling kit 2 mm – 200 pcs   | SET200S-2   | 3,24 kg | 48 kits                                                                               |
| Helix tile leveling kit 3 mm – 200 pcs   | SET200S-3   | 3,35 kg | 48 kits                                                                               |
| Helix tile leveling kit 4 mm – 200 pcs   | SET200S-4   | 3,58 kg | 48 kits                                                                               |



CAPS 100 PCS



|                      | REF   |  |  |
|----------------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Helix caps – 100 pcs | SW100 | 6 pcs                                                                                 | 24 boxes                                                                              |

CAPS 250 PCS



|                      | REF   |  |  |
|----------------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Helix caps – 250 pcs | SW250 | 3,11 kg                                                                               | 48 sets                                                                               |

ANTI – SCRATCH 100 PCS



|                                | REF   |  |  |
|--------------------------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Levelit anti scratch – 100 pcs | AS100 | 15 pcs                                                                                | 75 boxes                                                                              |



**TILING**  
**buddy**


TILING TO PERFECTION



BELGIAN  QUALITY








1. After applying the adhesive and placing the first tile:
  - Slide the clips under the tile
  - Depending on the tile size, place one or more spacers on each side
2. Position and adjust the next tile against the spacer clips by pressing it lightly
3. Using your fingers, push the wedge to tighten and level the tile
4. Use the special leveling plier to facilitate insertion
5. Once the adhesive has fully cured, the upper parts of the spacers and the wedges must be removed. Break off the spacers using a rubber mallet or by kicking them in the direction of the joint. Then collect and reuse the wedges.

## INSTALLATION METHOD | 5 STEPS



### JOINTS (mm)



### TILE THICKNESS

5 to 15 mm



QR-CODE - VIDEO

**WALL & FLOOR**

**JOINT WIDTH 1.5 – 3 MM**



# TILE LEVELING SYSTEMS




## SPACER CLIPS 100 PCS



|                                     | REF        |  |  |
|-------------------------------------|------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Tiling Buddy clips 1,5 mm - 100 pcs | BUD100-1,5 | 30 pcs                                                                                | 24 boxes                                                                              |
| Tiling Buddy clips 2 mm - 100 pcs   | BUD100-2   | 30 pcs                                                                                | 24 boxes                                                                              |
| Tiling Buddy clips 3 mm - 100 pcs   | BUD100-3   | 30 pcs                                                                                | 24 boxes                                                                              |

## WEDGES 100 PCS



|                              | REF     |  |  |
|------------------------------|---------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Tiling Buddy wedges- 100 pcs | BUDW100 | 15 pcs                                                                                | 24 boxes                                                                              |

## ADJUSTABLE PLASTIC PLIER



|                                       | REF   |  |  |
|---------------------------------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Tiling Buddy adjustable Plastic Plier | BUDPL | 50 pcs                                                                                | 24 boxes                                                                              |



## TILE LEVELING KIT 50 PCS



|                                         | REF          |  |  |
|-----------------------------------------|--------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Buddy tile leveling kit 1.5 mm – 50 pcs | BUDSET50-1.5 | 0,24 kg                                                                               | 385 kits                                                                              |
| Buddy tile leveling kit 2 mm – 50 pcs   | BUDSET50-2   | 0,27 kg                                                                               | 385 kits                                                                              |
| Buddy tile leveling kit 3 mm – 50 pcs   | BUDSET50-3   | 0,30 kg                                                                               | 385 kits                                                                              |

## TILE LEVELING KIT 100 PCS



|                                          | REF           |  |  |
|------------------------------------------|---------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Buddy tile leveling kit 1.5 mm – 100 pcs | BUDSET100-1.5 | 1,03 kg                                                                               | 75 kits                                                                               |
| Buddy tile leveling kit 2 mm – 100 pcs   | BUDSET100-2   | 1,28 kg                                                                               | 75 kits                                                                               |
| Buddy tile leveling kit 3 mm – 100 pcs   | BUDSET100-3   | 1,42 kg                                                                               | 75 kits                                                                               |

## ANTI – SCRATCH 100 PCS



|                                | REF   |  |  |
|--------------------------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Levelit anti scratch – 100 pcs | AS100 | 15 pcs                                                                                | 75 boxes                                                                              |



# CROSS

TILING TO PERFECTION




## CLASSIC TILE SPACERS



CLASSIC X-SHAPED TILE SPACERS

NEW




The classic X-shaped LEVELIT spacer is used for straight patterns.  
Ensures a consistent joint width and precise alignment at the tile corners..  
Its long legs provide optimal stability during installation..




CLASSIC TILE SPACERS 1,5 MM

|                                       | REF       |  |  |
|---------------------------------------|-----------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Classic tile spacers 1.5 mm – 250 pcs | cc250-1.5 | 0,63 kg                                                                             | 130 pcs                                                                             |




CLASSIC TILE SPACERS 2 MM

|                                     | REF     |  |  |
|-------------------------------------|---------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Classic tile spacers 2 mm – 250 pcs | CC250-2 | 0,69 kg                                                                               | 125 pcs                                                                               |
| Classic tile spacers 2 mm – 500 pcs | CC500-2 | 0,93 kg                                                                               | 60 pcs                                                                                |



CLASSIC TILE SPACERS 3 MM

|                                     | REF     |  |  |
|-------------------------------------|---------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Classic tile spacers 3 mm – 250 pcs | CC250-3 | 0,71 kg                                                                               | 100 pcs                                                                               |
| Classic tile spacers 3 mm – 500 pcs | CC500-3 | 1,18 kg                                                                               | 50 pcs                                                                                |



CLASSIC TILE SPACERS 4 MM

|                                     | REF     |  |  |
|-------------------------------------|---------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Classic tile spacers 4 mm – 250 pcs | CC250-4 | 0,70 kg                                                                               | 90 pcs                                                                                |
| Classic tile spacers 4 mm – 500 pcs | CC500-4 | 1,26 kg                                                                               | 45 pcs                                                                                |





CLASSIC X-SHAPED TILE SPACERS

NEW



CLASSIC TILE SPACERS 5 MM

|                                     | REF     |         |        |
|-------------------------------------|---------|---------|--------|
| Classic tile spacers 5 mm – 250 pcs | CC250-5 | 0,76 kg | 60 pcs |
| Classic tile spacers 5 mm – 500 pcs | CC500-5 | 1,82 kg | 30 pcs |



CLASSIC TILE SPACERS 6 MM

|                                     | REF     |         |        |
|-------------------------------------|---------|---------|--------|
| Classic tile spacers 6 mm – 200 pcs | cc250-6 | 0,80 kg | 65 pcs |



CLASSIC TILE SPACERS 7 MM

|                                     | REF     |         |        |
|-------------------------------------|---------|---------|--------|
| Classic tile spacers 7 mm – 200 pcs | cc200-7 | 0,85 kg | 60 pcs |



CLASSIC TILE SPACERS 8 MM

|                                     | REF     |         |        |
|-------------------------------------|---------|---------|--------|
| Classic tile spacers 8 mm – 200 pcs | cc200-8 | 0,89 kg | 50 pcs |




CLASSIC TILE SPACERS 10 MM

|                                      | REF      |         |        |
|--------------------------------------|----------|---------|--------|
| Classic tile spacers 10 mm – 200 pcs | cc200-10 | 0,95 kg | 45 pcs |



NEW

CLASSIC T-SHAPED TILE SPACERS



The LEVELIT T-spacer is used for staggered patterns.  
Made of solid plastic for use with heavy tiles.  
Its long legs ensure better stability during installation.



T-SPACERS 2 MM

|                               | REF      |  KG |  |
|-------------------------------|----------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| T-tile spacers 2 mm – 250 pcs | CCT250-2 | 0,72 kg                                                                                | 130 pcs                                                                             |



T-SPACERS 3 MM

|                               | REF      |  KG |  |
|-------------------------------|----------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| T-tile spacers 3 mm – 250 pcs | CCT250-3 | 0,74 kg                                                                                  | 130 pcs                                                                               |



T-SPACERS 10 MM


|                                | REF       |  KG |  |
|--------------------------------|-----------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| T-tile spacers 10 mm – 100 pcs | CCT100-10 | 0,95 kg                                                                                  | 90 pcs                                                                                |





NEW

REUSABLE TILE SPACERS



The reusable LEVELIT T-shaped spacer is suitable for all types of patterns and layouts.  
Made of solid plastic for use with heavy tiles.  
Leaves no plastic residue in the joints.




REUSABLE TILE SPACERS 2 MM

|                                      | REF     |  KG |  |
|--------------------------------------|---------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Reusable tile spacers 2 mm – 100 pcs | CR100-2 | 0,35 kg                                                                                | 130 pcs                                                                             |



REUSABLE TILE SPACERS 3 MM

|                                      | REF     |  KG |  |
|--------------------------------------|---------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Reusable tile spacers 3 mm – 100 pcs | CR100-3 | 0,39 kg                                                                                  | 130 pcs                                                                               |




REUSABLE TILE SPACERS 4 MM

|                                      | REF     |  KG |  |
|--------------------------------------|---------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Reusable tile spacers 4 mm – 100 pcs | CR100-4 | 0,39 kg                                                                                  | 90 pcs                                                                                |



# CLASSIC TILE SPACERS

## MULTIFUNCTIONAL TILE SPACERS



The multifunctional LEVELIT spacer is suitable for all types of patterns and layouts.


Made of solid plastic for use with heavy tiles.

Leaves no plastic residue in the joints.




### MULTIFUNCTIONAL TILE SPACERS 1 MM

|                                             | REF       | KG      |        |
|---------------------------------------------|-----------|---------|--------|
| Multifunctional tile spacers 1 mm – 50 pcs  | CT50 – 1  | 0,09 kg | 35 pcs |
| Multifunctional tile spacers 1 mm – 100 pcs | CT100 – 1 | 0,18 kg | 20 pcs |



### MULTIFUNCTIONAL TILE SPACERS 2 MM

|                                             | REF       | KG      |        |
|---------------------------------------------|-----------|---------|--------|
| Multifunctional tile spacers 2 mm – 50 pcs  | CT50 – 2  | 0,15 kg | 35 pcs |
| Multifunctional tile spacers 2 mm – 100 pcs | CT100 – 2 | 0,29 kg | 20 pcs |



### MULTIFUNCTIONAL TILE SPACERS 3 MM

|                                             | REF       | KG      |        |
|---------------------------------------------|-----------|---------|--------|
| Multifunctional tile spacers 3 mm – 50 pcs  | CT50 – 3  | 0,22 kg | 35 pcs |
| Multifunctional tile spacers 3 mm – 100 pcs | CT100 – 3 | 0,43 kg | 20 pcs |



# TOOLS

TILING TO PERFECTION

# TOOLS

---

MANUAL SUCTION CUPS

SINGLE SUCTION CUP 50 KG

Single suction cup for lifting and transporting glass, tiles, and other materials with a flat, smooth, and non-porous surface.



- Maximum load capacity of 50 kg
- High-resistance die-cast aluminum housing

NEW

CATEGORY  
PROFESSIONAL

SURFACE  
SMOOTH & FLAT

|                          | ART.-NR. | Ø      | ●           |  |  |
|--------------------------|----------|--------|-------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SINGLE SUCTION CUP 50 KG | VT50     | 123 mm | Single-head | 0.41 kg                                                                               | 40 pcs                                                                                |

DOUBLE SUCTION CUP 80 KG

Double suction cup for lifting and transporting glass, tiles, and other materials with a flat, smooth, and non-porous surface.



- Maximum load capacity of 80 kg
- High-resistance die-cast aluminum housing

NEW

CATEGORY  
PROFESSIONAL

SURFACE  
SMOOTH & FLAT

|                          | ART.-NR. | Ø      | ●           |  |  |
|--------------------------|----------|--------|-------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| DOUBLE SUCTION CUP 80 KG | VT80     | 118 mm | Double-head | 0.66 kg                                                                               | 20 pcs                                                                                |



# MANUAL SUCTION CUPS

## SINGLE SUCTION CUP 40 KG

Single suction cup for lifting and transporting glass, tiles, and other flat, smooth, non-porous materials.

NEW

CATEGORY  
BASIC

SURFACE  
SMOOTH & FLAT



Maximum load capacity of 40 kg  
Robust PVC housing

|                          | ART.-NR. | Ø      | ●           |  |  |
|--------------------------|----------|--------|-------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SINGLE SUCTION CUP 40 KG | VT40     | 123 mm | Single-head | 0.31 kg                                                                               | 40 pcs                                                                                |

## DOUBLE SUCTION CUP 70 KG

Double suction cup for lifting and transporting glass, tiles, and other materials with a flat, smooth, and non-porous surface.

NEW

CATEGORY  
BASIC

SURFACE  
SMOOTH & FLAT



Maximum load capacity of 70 kg  
Robust PVC housing

|                          | ART.-NR. | Ø      | ●           |  |  |
|--------------------------|----------|--------|-------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| DOUBLE SUCTION CUP 70 KG | VT70     | 118 mm | Double-head | 0.46 kg                                                                               | 20 pcs                                                                                |

VACUUM SUCTION CUP

VACUUM SUCTION CUP


Vacuum suction cup for lifting and transporting glass, tiles, and other materials with a flat, smooth, and non-porous surface.

NEW

CATEGORY  
PROFESSIONAL

SURFACE  
SMOOTH & FLAT

MAXIMUM LOAD  
150 KG



KEY FEATURES

- 4 sealing edges for maximum grip on flat surfaces.
- Equipped with a pressure gauge for even safer lifting.
- Durable rubber base with anti-slip grooves.
- Quick-release button for easy removal.

INCLUDED ITEMS

- Supplied with a practical plastic carrying case.
- Includes spare parts for maintenance.
- Includes a protective cap to preserve the rubber.

|                    | ART.-NR. | Ø      |  |  |  |
|--------------------|----------|--------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| VACUUM SUCTION CUP | VTM150   | 200 mm | Included                                                                              | 1.20 kg                                                                               | 10 pcs                                                                                |






POWERGRIP USB VACUUM SUCTION CUP

POWERGRIP USB VACUUM SUCTION CUP

Electric vacuum suction cup for lifting and transporting glass, tiles, and other materials with a flat, smooth, and non-porous surface.



NEW

CATEGORY  
PROFESSIONAL

SURFACE  
SMOOTH & FLAT

MAXIMUM LOAD  
150 KG



BATTERY SPECIFICATIONS

- 8 to 9 hours of battery life under intensive use.
- Rechargeable via the provided USB-C cable.
- Electric suction cup equipped with an integrated 3 Ah – 3.7 V lithium-ion battery.

KEY FEATURES

- Quick release
- Digital display
- Smart-Off function
- Smart Air function
- The rubber lip and release button make it easy to remove the suction cup.
- Digital display showing vacuum pressure (kg).
- Automatic shut-off after 2 minutes of inactivity.
- Automatically restores pressure when vacuum drops below the safety level (≈130 kg holding force).

|                           | ART.-NR. | Ø      |  |  |  |
|---------------------------|----------|--------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| POWERGRIP USB SUCTION CUP | VTE150   | 200 mm | 3,7 V / 3 Ah                                                                          | 1.20 kg                                                                               | 10 pcs                                                                                |



SPIKED ROLLERS

COMPACT SPIKED ROLLER

Compact spiked roller with a plastic handle and 21 mm nylon spikes, ideal for removing air bubbles from leveling compounds.

NEW

CATEGORY  
PROFESSIONAL



- 21 mm nylon spikes
- Ergonomic, non-slip plastic handle

|                      | ART.-NR. |  |  |  |  |
|----------------------|----------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SPIKED ROLLER 230 MM | RD230-21 | 230 mm                                                                              | Without splash guard                                                                 | 0.23 kg                                                                               | 25 pcs                                                                                |

SPIKED ROLLER

Spiked roller with a zinc alloy connector, splash guard, and 21 mm nylon spikes, ideal for removing air bubbles from leveling compounds on large surfaces.

NEW

CATEGORY  
PROFESSIONAL



- 21 mm nylon spikes
- Zinc alloy tip for telescopic poles
- Includes splash guard to prevent material splatter

|                      | ART.-NR. |  |  |  |  |
|----------------------|----------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SPIKED ROLLER 250 MM | RD250-21 | 250 mm                                                                              | With splash guard                                                                    | 0.76 kg                                                                               | 10 pcs                                                                                |
| SPIKED ROLLER 500 MM | RD500-21 | 500 mm                                                                              | With splash guard                                                                    | 1.30 kg                                                                               | 10 pcs                                                                                |

TELESCOPIC POLES

ALUMINUM TELESCOPIC POLE (1 – 2 M)

Aluminum telescopic pole, extendable from 1 – 2 m, compatible with spiked rollers.

NEW

CATEGORY  
PROFESSIONAL



- Adjustable length from 1 to 2 m for optimal reach
- Universal tip for quick and secure attachment
- Durable aluminum construction

|                          | ART.-NR. |  |  |  |  |
|--------------------------|----------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| ALUMINUM TELESCOPIC POLE | PT-A     | 1 m to 2 m                                                                          | For spiked rollers                                                                   | 1.20 kg                                                                               | 5 pcs                                                                                 |

GROUT BAGS

SET OF 3 GROUT BAGS

Set of 3 grout bags, designed for the precise and efficient application of grouting mortar, offering high capacity for extended work without frequent refilling.

NEW

CATEGORY  
PROFESSIONAL



- PVC tip for precise application
- Washable and reusable

|                     | ART.-NR. |  |  |  |
|---------------------|----------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SET OF 3 GROUT BAGS | Poch-3   | L x W: 60 x 34 cm                                                                   | 0.10 kg                                                                               | 20 pcs                                                                                |



## SPONGES

### HYDRO SPONGE


Compact Hydro sponge with a high-absorption structure, specifically designed for cleaning grout and tiled surfaces during and after installation.



High absorption capacity

NEW

CATEGORY  
PROFESSIONAL




ART.-NR.



|              |      |                             |          |         |
|--------------|------|-----------------------------|----------|---------|
| HYDRO SPONGE | SP-P | H x W x L: 6.5 x 11 x 16 cm | 0.031 kg | 126 pcs |
|--------------|------|-----------------------------|----------|---------|

### HYDRO SPONGE FLOAT


Float with a Hydro sponge and ergonomic handle, designed for tile cleaning, featuring exceptionally high absorption.



High absorption capacity  
Ergonomic handle for improved comfort and control

NEW

CATEGORY  
PROFESSIONAL




ART.-NR.



|                    |    |                           |          |        |
|--------------------|----|---------------------------|----------|--------|
| HYDRO SPONGE FLOAT | TM | H x W x L: 3 x 14 x 28 cm | 0.251 kg | 40 pcs |
|--------------------|----|---------------------------|----------|--------|

### HYDRO SPONGE FLOAT (CROSS-CUT)

Float with a Hydro sponge (cross-cut) and ergonomic handle, designed for tile cleaning, featuring exceptionally high absorption.



High absorption capacity  
Ergonomic handle for improved comfort and control

NEW

CATEGORY  
PROFESSIONAL



ART.-NR.



|                              |      |                           |          |        |
|------------------------------|------|---------------------------|----------|--------|
| HYDRO SPONGE FLOAT (NOTCHED) | TM-S | H x W x L: 3 x 14 x 28 cm | 0.251 kg | 40 pcs |
|------------------------------|------|---------------------------|----------|--------|


GROUT FLOATS

GROUT FLOAT

Grout float with a durable rubber blade and ergonomic handle, ideal for applying and finishing grout.

NEW

CATEGORY  
PROFESSIONAL



Ergonomic handle for improved comfort and control


|                            | ART.-NR. |  |  |  |
|----------------------------|----------|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| GROUT FLOAT 24 X 12 X 1 CM | PN-120   | L × W × H: 24 × 12 × 1 cm                                                          | 0.234 kg                                                                             | 50 pcs                                                                               |
| GROUT FLOAT 28 X 14 X 1 CM | PN-140   | L × W × H: 28 × 14 × 1 cm                                                          | 0.234 kg                                                                             | 50 pcs                                                                               |

EPOXY GROUT FLOAT

Epoxy grout float with a soft rubber blade and ergonomic handle, designed for the precise application of epoxy grout.

NEW

CATEGORY  
PROFESSIONAL



Ergonomic handle for improved comfort and control

|                              | ART.-NR. |  |  |  |
|------------------------------|----------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| EPOXY GROUT FLOAT 25 X 10 CM | PN-E     | L × W × H: 25 × 10 × 1 cm                                                           | 0.335 kg                                                                              | 10 pcs                                                                                |

# RUBBER HAMMERS

## WHITE RUBBER HAMMER

Hammer with a soft white rubber head (80 ±5 Shore A) and a non-slip soft-grip handle, designed for precise tile installation without damaging surfaces.

NEW

CATEGORY  
PROFESSIONAL



- Soft white rubber head (80 ±5 Shore A), that leaves no marks
- Non-slip, ergonomic soft-grip handle
- Steel-reinforced handle

|                           | ART.-NR. |  |  |  |
|---------------------------|----------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| WHITE RUBBER HAMMER 340 G | MC-B340  | soft-grip handle                                                                    | 0.34 kg                                                                             | 6 pcs                                                                               |
| WHITE RUBBER HAMMER 450 G | MC-B450  | soft-grip handle                                                                    | 0.45 kg                                                                             | 6 pcs                                                                               |
| WHITE RUBBER HAMMER 680 G | MC-B680  | soft-grip handle                                                                    | 0.68 kg                                                                             | 6 pcs                                                                               |

## BLACK RUBBER HAMMER

Hammer with a hard black rubber head (85 ±5 Shore A) and a wooden handle, ideal for installing thick and heavy tiles.

NEW

CATEGORY  
PROFESSIONAL



- Hard black rubber head for thick and heavy tiles
- High-quality wooden handle

|                           | ART.-NR. |  |  |  |
|---------------------------|----------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| BLACK RUBBER HAMMER 340 G | MC-N340  | wooden handle                                                                         | 0.34 kg                                                                               | 6 pcs                                                                                 |
| BLACK RUBBER HAMMER 450 G | MC-N450  | wooden handle                                                                         | 0.45 kg                                                                               | 6 pcs                                                                                 |
| BLACK RUBBER HAMMER 680 G | MC-N680  | wooden handle                                                                         | 0.68 kg                                                                               | 6 pcs                                                                                 |



SQUEEGEES

SQUEEGEE

Squeegee with a black rubber blade, ideal for applying and finishing grout with precision.

NEW

CATEGORY  
PROFESSIONAL



Flexible rubber blade  
High-quality wooden handle

|                | ART.-NR. |  |  |  |
|----------------|----------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SQUEEGEE 20 CM | VR-20    | L × W × H: 24 x 12 x 1 cm                                                         | 0.095 kg                                                                            | 10 pcs                                                                              |
| SQUEEGEE 30 CM | VR-30    | L × W × H: 28 x 14 x 1 cm                                                         | 0.145 kg                                                                            | 10 pcs                                                                              |

NOTCHED TROWELS

STAINLESS STEEL NOTCHED TROWEL

Stainless steel notched trowel with wooden handle (180 mm), ideal for applying and evenly spreading tile adhesive.

NEW

CATEGORY  
PROFESSIONAL



|                         | ART.-NR. |  |  |  |
|-------------------------|----------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| NOTCHED TROWEL 4 × 4 MM | PC180-I4 | wood                                                                                  | 0.22 kg                                                                               | 120 pcs                                                                               |
| NOTCHED TROWEL 6 × 6 MM | PC180-I6 | wood                                                                                  | 0.22 kg                                                                               | 120 pcs                                                                               |
| NOTCHED TROWEL 8 × 8 MM | PC180-I8 | wood                                                                                  | 0.22 kg                                                                               | 120 pcs                                                                               |

# TILING WASH KITS

## WASH KIT 22 LITERS

22-liter complete set for grouting and final cleaning of tiled surfaces after applying grout.

NEW

CATEGORY  
PROFESSIONAL



Complete set with all required grouting accessories  
Includes a hydro sponge float and a professional grout float  
Includes grid, roller unit with three rollers, lid and four wheels

|                    | ART.-NR. |  |  |  |
|--------------------|----------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| WASH KIT 22 LITERS | KIT-22   | L × W × H: 49 × 24 × 24 cm                                                          | 2.834 kg                                                                              | 1 pc                                                                                  |

## WASH KIT 12 LITERS

12-liter complete set for grouting and final cleaning of tiled surfaces after applying grout.

NEW

CATEGORY  
BASIC



Complete set with all necessary accessories for grouting  
Includes grid, roller and lid

|                    | ART.-NR. |  |  |  |
|--------------------|----------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| WASH KIT 12 LITERS | KITB-12L | L × W × H: 40 × 23 × 17 cm                                                          | 1.285 kg                                                                              | 1 pc                                                                                  |

## WASH KIT 24 LITERS

24-liter complete set for grouting and final cleaning of tiled surfaces after applying grout.

NEW

CATEGORY  
BASIC



Complete set with all required grouting accessories  
Includes grid, two rollers, lid and four wheels

|                    | ART.-NR. |  |  |  |
|--------------------|----------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| WASH KIT 24 LITERS | KITB-24L | L x W x H: 49 x 24 x 24 cm                                                        | 1.582 kg                                                                            | 1 pc                                                                                |



MIXER

LEVELIT MIX 1800-FORCE

The MIX 1800-FORCE is designed for intensive professional use. Equipped with a powerful 1800 W motor, a 2-speed gearbox, and electronic speed control, it ensuring consistent mixing, even with thick and high-viscosity materials.

NEW

CATEGORY  
PROFESSIONAL


POWER  
1800 W

THREAD  
M14



TECHNICAL DATA

- Voltage: 220-240 V, 50-60 Hz
- Speed (1st gear): 180-400 rpm
- Speed (2nd gear): 300-700 rpm
- Electronic speed control: 7 levels



KEY FEATURES

- |                  |                                                                            |
|------------------|----------------------------------------------------------------------------|
| Soft start       | Ensures splash-free start-up and improved control.                         |
| Constant power   | Prevents speed fluctuations for consistent mixing.                         |
| 2-speed gearbox  | Allows adjustment of speed and torque depending on the application.        |
| High torque      | Ideal for mixing thick materials such as adhesives, mortar, and compounds. |
| Ergonomic handle | Improves comfort and reduces fatigue during extended use.                  |

|                        | ART.-NR.  |  |  |  |  |
|------------------------|-----------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| LEVELIT MIX 1800-FORCE | MX1800-BX | 220 - 240 V                                                                         | 180-700 tr/min                                                                        | 1800 W                                                                                | +2 mixing paddles                                                                     |

MIXING PADDLES

SPIRAL MIXING PADDLE

Spiral mixing paddle, 600 mm, ideal for homogeneous mixing of adhesives, mortar, and compounds. Galvanized paddle with M14 thread, compatible with most standard mixers.

NEW

CATEGORY  
PROFESSIONAL



Compatible with all mixers featuring an M14 thread  
Suitable for mixing adhesives, compounds, and other construction materials  
Spiral design ensures fast, effortless, and consistent mixing

|                                    | ART.-NR. | Ø      | Ø      | 💧        | 📦      |
|------------------------------------|----------|--------|--------|----------|--------|
| SPIRAL MIXING PADDLE Ø120 × 600 MM | MR1-120  | spiral | 120 mm | 15-25 kg | 12 pcs |
| SPIRAL MIXING PADDLE Ø140 × 600 MM | MR1-140  | spiral | 140 mm | 25-40 kg | 12 pcs |
| SPIRAL MIXING PADDLE Ø160 × 600 MM | MR1-160  | spiral | 160 mm | 30-60 kg | 12 pcs |

MORTAR MIXING PADDLE

Helical mixing paddle, 600 mm, designed for intensive mixing of mortar and high-viscosity materials. Reinforced geometry improves material penetration and reduces user effort during demanding applications.

NEW

CATEGORY  
PROFESSIONAL



Compatible with all mixers featuring an M14 thread  
Suitable for mixing mortar and construction materials, even those with high viscosity  
Helical design ensures fast, effortless, and consistent mixing

|                                    | ART.-NR. | Ø       | Ø      | 💧        | 📦      |
|------------------------------------|----------|---------|--------|----------|--------|
| MORTAR MIXING PADDLE Ø120 × 600 MM | MR2-120  | helical | 120 mm | 15-25 kg | 12 pcs |
| MORTAR MIXING PADDLE Ø140 × 600 MM | MR2-140  | helical | 140 mm | 25-40 kg | 12 pcs |



The Levelit logo is rendered in a large, orange, serif typeface. A small registered trademark symbol (®) is positioned to the upper right of the final 't'. The background is a dark grey, marbled texture with thin, light grey veins. Two thin, orange lines are visible: one in the upper left corner and another in the lower right corner, both forming partial geometric shapes.

# Levelit<sup>®</sup>

**TILING TO PERFECTION**

[www.levelit.eu](http://www.levelit.eu)

**LEVELIT BELGIUM** | Baeckelmansstraat 131 A0001, 2830 Tisselt - Belgium | E-mail: [info@levelit.eu](mailto:info@levelit.eu) | Tel. +32 3 886 34 43

**LEVELIT FRANCE** | 10 Rue Michel Servet, 59000 Lille - France | E-mail: [info@levelit.eu](mailto:info@levelit.eu) | Tel. +33 3 53 32 01 05